

YUMETAL

Qingdao Yumetal Hardware Rigging CO., Ltd

Fender & Float



Qingdao Yumetal Hardware Rigging Co., Ltd

Office: 10H, No.22B, Shandong Road, Qingdao, China
Factory: No.398 Zhoubei Village, Beian Town, Jimo, Qingdao, China
Tel: +86 532 85012737, +86 532 85808205, +86 532 85810897, +86 532 85012733
Fax: +86 532 85839733
Email: info@yumetals.com / yumetal@china.com
Website: www.yumetalanchor.com



www.yumetalanchor.com

CONTENTS

FENDER

07 AND01	14 AND10
08 AND03	15 AND11
09 AND05	16 AND12
10 AND06	17 AND13
11 AND07	17 PUMP AND ROPE
12 AND08	17 FENDER COVER
13 AND09	

FLOAT

18 P.FL01	23 P.FL14	26 P.FL03
19 P.FL24	23 P.FL15	27 P.FL04
19 P.FL25	23 P.FL16	27 P.FL22
20 P.FL26	24 P.FL17	28 P.FL08
20 P.FL27	24 P.FL18	28 P.FL09
21 P.FL28	24 P.FL20	29 P.FL10
21 P.FL29	25 P.FL19	29 P.FL11
22 P.FL05	25 P.FL21	30 P.FL23
22 P.FL12	25 P.FL01	30 P.FL06
22 P.FL13	26 P.FL02	30 P.FL07



WHAT'S THE YUMETAL WAY?

» ENJOY, FAST & CREDIT

**» ORDERED TODAY,
DELIVERED TOMORROW!**



YUMETAL
YOUR RELIABLE PARTNER



COMPANY PROFILE

YUMETAL,LIFETIME MEMBERSHIP OF ALIBABA, CONTINUED GOLD SUPPLIER SINCE 2004.

YUMETAL,500M² OFFICE, 15000M² FACTORY AND WAREHOUSE,WITH STANDARD MANAGEMENT AND QUALITY CONTROL SYSTEM.


YUMETAL,VOLUME INVENTORY TO ASSURE YOUR ORDER DELIVERY IN VERY SHORT TIME.

YUMETAL,WARMLY WELCOME YOU TO VISIT US FOR MUTUAL BUSINESS COOPERATION.



YUMETAL HIGH-TECH ENTERPRISE WITH THE DEVELOPMENT CHARACTERISTICS OF PROFESSIONALIZATION, REFINEMENT, SPECIALIZATION AND NOVELTY.

INVENTORY



INSTRUMENT



AND01 Series A PVC Boat Fender



- *Inflatable heavy duty fenders
- *Usage : marker buoy, anchor buoy, mooring buoy, protection boat
- *UV protection, corrosion resistance, waterproof.
- *Heavy duty seamless construction with extra tough rope eye.
- *Various colours
- *Pump and ropes are all available

Art No.	Series	Size(Dia x Overall Length) inch	mm	Eye Dia. mm	Weight g/pc	Recommendation Boat Length
AND01-210	A0	8 x 11	210 x 280	17	600	≤ 3m
AND01-290	A1	11.4 x 15	290 x 380	17	1150	3m~6m
AND01-390	A2	14.8 x 18.8	390 x 500	22	2100	6m~12m
AND01-440	A3	17 x 21	440 x 550	25	3100	12m~15m
AND01-480	A4	19 x 25	480 x 630	25	4000	15m~18m



AND03 Series G PVC Boat Fender



- *Superior quality boat fenders
- *Two-eyelet shape
- *Durable thick PVC walls&ribbed design
- *UV protection, corrosion resistance, waterproof.
- *Various colours
- *Pump and ropes are all available

Art No.	Series	Size(Dia x Overall Length) inch	mm	Eye Dia. mm	Weight g/pc	Recommendation Boat Length
AND03-89x330	G0	3.5 x 13	89 x 330	16	350	≤ 3m
AND03-110x400	G1	4.5 x 16	110 x 400	16	500	3m~4.5m
AND03-140x500	G2	5.5 x 20	140 x 500	18	850	4.5m~6m
AND03-160x580	G3	6.5 x 23	160 x 580	20	950	6m~7.5m
AND03-210x680	G4	8.5 x 27	210 x 680	22	1800	7.5m~10.5m
AND03-254x760	G5	10 x 30	254 x 760	22	3000	10.5m~12m

AND05 Series D PVC Boat Fender



- *Superior quality boat fenders
- *Two-eyelet shape
- *UV protection, corrosion resistance, waterproof.
- *Various colours
- *Pump and ropes are all available

Art No.	Series	Size(Dia x Overall Length) inch	mm	Eye Dia. mm	Weight g/pc	Recommendation Boat Length
AND05-110x400	D0	4.5 x 16	110 x 400	16	500	3m~4.5m
AND05-140x500	D1	5.5 x 20	140 x 500	18	850	4.5m~6m
AND05-160x580	D2	6.5 x 23	160 x 580	20	1000	6m~7.5m
AND05-210x680	D3	8.5 x 27	210 x 680	20	1800	7.5m~10.5m



AND05



AND06

AND06 Series F PVC Boat Fender



- *Superior quality boat fenders
- *One-piece made
- *UV protection, corrosion resistance, waterproof
- *Various colours
- *Pump and ropes are all available

Art No.	Series	Size(Dia x Overall Length) inch	mm	Eye Dia. mm	Weight g/pc
AND06-115x450	F0	4.5 x 17	115 x 450	17	600
AND06-150x610	F1	6 x 24	150 x 610	17	1000
AND06-220x610	F2	8.4 x 24	220 x 610	22	1750
AND06-220x750	F3	8.5 x 30	220 x 750	22	2100
AND06-220x1040	F4	8.7 x 41	220 x 1040	26	2900
AND06-290x780	F5	11.5 x 30.7	290 x 780	26	3000
AND06-290x1090	F6	11.5 x 43	290 x 1090	26	4100
AND06-380x1020	F7	15 x 40	380 x 1020	26	5300
AND06-380x1450	F8	15 x 57	380 x 1450	26	7600

AND07 Series S PVC Boat Fender




- *Marking buoy&mooring
- *UV protection, corrosion resistance, waterproof
- *Various colours

Art No.	Series	Size(Dia x Overall Length) inch mm	Eye Dia. mm	Weight g/pc
AND07-110x400	S1	4.5 x 16 110 x 400	16	550



AND08 PVC Dock Bumper



- *Dock Bumper
- *Durable ribbed design
- *UV protection, corrosion resistance, waterproof.


Art No.	Series	Size(Dia x Overall Length) inch mm	Weight g/pc
AND08-180x380	BZ1	7 x 15 180 x 380	1600

AND09 PVC Dock Bumper



*Secure and easy mooring
*UV protection, corrosion resistance, waterproof

Art No.	Series	Size(L x W x H)		Weight g/pc
		inch	mm	
AND09-900x180	S4	35 x 7	900 x 180	4200
AND09-1000x150x100	H1	39 x 6 x 4	1000 x 150 x 100	2800
AND09-630x150x100	H2	25 x 6 x 4	630 x 150 x 100	1800
AND09-1220x150x100	H3	48 x 6 x 4	1220 x 150 x 100	3400
AND09-1850x150x100	H4	73 x 6 x 4	1850 x 150 x 100	4900



AND10 PVC Dock Bumper



*Dock Bumper
*Durable ribbed design
*UV protection, corrosion resistance, waterproof

Art No.	Series	Size(Dia x Overall Length)		Weight g/pc
		inch	mm	
AND10-130x510	BC1	5 x 20	130 x 510	1500
AND10-150x580	BC2	6 x 23	150 x 580	1800

AND11 HTM (hole-through-middle) PVC Boat Fender



- *Vertical durable ribbed design
- *UV protection, corrosion resistance, waterproof
- *Protecting and stand-off 20ft-50ft boat

Art No.	Series	Size(Dia x Overall Length) inch	mm	Eye Dia. mm	Weight g/pc
AND11-150x380	HTM1	6 x 15	150 x 380	20	1100
AND11-200x510	HTM2	8 x 20	200 x 510	20	2000
AND11-250x710	HTM3	10 x 28	250 x 710	20	3200



AND11



AND12

AND12 Dock Corner Bumper



- *PVC with UV Inhibitors and Fungicides
- *Excellent shock absorption

Art No.	Series	inch	Size mm	Weight g/pc
AND12-450x100	Straight	17.5x4	450 x100	560
AND12-220x220x100	Corner	8.5x8.5x4	220 x 220 x100	600
AND12-790x160	Big Corner	31x6.3	790 x160	2900

AND13 Series B Dock Bumper



*Shock-absorbing
 *6 hanging points&reinforced eyelets
 *Various colours

Art No.	Series	Size(Dia x Overall Length) inch	mm	Weight g/pc
AND13-178x560	B1	7x22	178 x 560	1300

ACCESSORIES


Pump and rope



Fender Cover




P.FL01 EVA Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)	Use sea
P.FL01-65x100x12Y(FYE-2)	65x100x12mm	31g	160g	S.S
P.FL01-76x105x20Y(FYE-3)	76x105x20mm	54g	300g	S.S
P.FL01-80x130x18Y(FYE-4)	80x130x18mm	75g	450g	S.S
P.FL01-86x128x18Y(FYE-5)	86x128x18mm	85g	500g	S.S
P.FL01-95x150x22Y(FYE-6)	95x150x22mm	95g	650g	S.S
P.FL01-95x150x22Y(CFE-6)	95x150x22mm	106g	650g	S.S
P.FL01-106x140x18Y(FYE-8)	106x140x18mm	111g	700g	S.S
P.FL01-115x170x20Y(FYE-10)	115x170x20mm	166g	950g	S.S
P.FL01-125x160x28Y(FYE-15)	125x160x28mm	212g	1500g	S.S
P.FL01-137x177x30Y(FYE-20)	137x177x30mm	264g	1800g	S.S
P.FL01-147x180x30Y(FYE-25)	147x180x30mm	344g	2400g	S.S
P.FL01-158x190x33Y(FYE-30)	158x190x33mm	412g	3000g	S.S
P.FL01-180x218x37Y(FYE-40)	180x218x37mm	594g	4200g	S.S
P.FL01-202x225x40Y(FYE-50)	202x225x40mm	783g	5000g	S.S
P.FL01-215x235x42Y(FYE-60)	215x235x42mm	900g	6000g	S.S
P.FL01-220x250x42Y(FYE-70)	220x250x42mm	1039g	7000g	S.S
P.FL01-248x265x48Y(FYE-85)	248x265x48mm	1305g	8500g	S.S
P.FL01-252x273x50Y(FYE-90)	252x273x50mm	1400g	9000g	S.S
P.FL01-260x285x50Y(FYE-100)	260x285x50mm	1450g	10000g	S.S
P.FL01-295x320x70Y(FYE-105)	295x320x70mm	2120g	15000g	S.S

P.FL24 EVA Float




Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)	Use sea
P.FL24-85x42x16(FYE-N8)	85x42x16mm	20g	140g	S.S
P.FL24-95x50x16(FYE-N9)	95x50x16mm	34g	220g	S.S
P.FL24-85x60x15(FYE-A208)	85x60x15mm	45g	270g	S.S
P.FL24-90x75x15(FYE-A209)	90x75x15mm	70g	400g	S.S
P.FL24-95x85x15(FYE-A211)	95x85x15mm	90g	500g	S.S

P.FL25 EVA Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)	Use sea
P.FL25-120x270x22(FYBB-511)	120x270x22mm	260g	2500g	S.S
P.FL25-140x290x25(FYBB-1A)	140x290x25mm	400g	3400g	S.S
P.FL25-153x365x25(FYBB-1)	153x365x25mm	600g	5000g	S.S
P.FL25-160x370x25(FYBB-1B)	160x370x25mm	720g	5500g	S.S
P.FL25-178x365x25(FYBB-2)	178x365x25mm	877g	5800g	S.S
P.FL25-180x400x32(FYBB-3)	180x400x32mm	1000g	7500g	S.S
P.FL25-203x380x32(FYBB-4)	203x380x32mm	1200g	9000g	S.S
P.FL25-230x460x38(FYBB-5)	230x460x38mm	1850g	14000g	S.S
P.FL25-280x510x38(FYBB-6)	280x510x38mm	3050g	23000g	S.S
P.FL25-174x174x20(FYBB-7)	174x174x20mm	300g	2500g	S.S

P.FL26 EVA Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)	Use sea
P.FL26-150x400x20(FYF-J1)	150x400x20mm	800g	6000g	S.S
P.FL26-200x530x25(FYF-J2)	200x530x25mm	1900g	14000g	S.S
P.FL26-250x660x27(FYF-J3)	250x660x27mm	3700g	28000g	S.S
P.FL26-95x420x42(FYF-100)	95x420x42mm	300g	2300g	S.S
P.FL26-125x540x50(FYF-200)	125x540x50mm	720g	5500g	S.S
P.FL26-165x660x70(FYF-300)	165x660x70mm	1500g	11500g	S.S
P.FL26-250x720x120(FYF-400)	250x720x120mm	3500g	23000g	S.S
P.FL26-310x550x85(FYF-500)	310x550x85mm	5700g	38000g	S.S
P.FL26-440x66x198(FYRF-100)	440x66x198mm	1500g	6500g	S.S
P.FL26-510x130x260(FYRF-200)	510x130x260mm	2150g	17500g	S.S
P.FL26-300x720x30(EFA-25x4)	300x720x30mm	5500g	38400g	S.S
P.FL26-300x900x30(EFA-25x5)	300x900x30mm	6900g	48000g	S.S
P.FL26-320x760x33(EFA-30x4)	320x760x33mm	6600g	48000g	S.S
P.FL26-320x950x33(EFA-30x5)	320x950x33mm	8240g	60000g	S.S
P.FL26-360x880x37(EFA-40x4)	360x880x37mm	9500g	67200g	S.S
P.FL26-360x1100x37(EFA-40x5)	360x1100x37mm	11900g	84000g	S.S

P.FL27 EVA Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)	Use sea
P.FL27-70x40x12(FY-10E)	70x40x12mm	20g	130g	S.S
P.FL27-80x45x15(FY-15E)	80x45x15mm	24g	150g	S.S
P.FL27-90x50x20(FY-20E)	90x50x20mm	32g	200g	S.S
P.FL27-106x55x18(FY-25E)	106x55x18mm	47g	300g	S.S
P.FL27-105x55x20(FY-30E)	105x55x20mm	53g	320g	S.S
P.FL27-115x60x22(FY-60E)	115x60x22mm	65g	380g	S.S

P.FL28 EVA Float



Art No.	Specification T x W x H (±5%)	Weight (±10%)	Buoyancy (±10%)	Use sea
P.FL28-35x45x195(N-5)	35x45x195mm	45g	180g	S.S
P.FL28-36x56x181(N-10)	36x56x181mm	50g	150g	S.S
P.FL28-38x55x207(N-24)	38x55x207mm	47g	240g	S.S
P.FL28-39x59x206(N-22HARD)	39x59x206mm	53g	225g	S.S
P.FL28-39x59x206(N-23)	39x59x206mm	53g	225g	S.S
P.FL28-40x60x210(N-23S)	40x60x210mm	55g	240g	S.S
P.FL28-45x65x245(N-35)	45x65x245mm	108g	400g	S.S
P.FL28-60x85x265(N-21)	60x85x265mm	165g	800g	S.S

P.FL29 EVA Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)	Use sea
P.FL29-22x90x6(FYE-M20)	22x90x6mm	7.5g	15g	S.S
P.FL29-70x110x15(FYY-17)	70x110x15mm	69g	240g	S.S
P.FL29-40x60x10(FY-Y3E)	40x60x10mm	16g	40g	S.S
P.FL29-110x103x25(FYS-3)	110x103x25mm	140g	920g	S.S
P.FL29-110x155x25(FYS-5)	110x155x25mm	170g	1100g	S.S
P.FL29-65x100x10(FY-SE5)	65x100x10mm	31g	230g	S.S
P.FL29-155x155x80(FYS-20)	155x155x80mm	245g	1600g	S.S
P.FL29-62x140x20(PE-20)	62x140x20mm	60g	350g	S.S

P.FL05 PVC Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)
P.FL05-140x190x30T	140x190x30mm	235g	2100g
P.FL05-140x190x30	140x190x30mm	215g	2100g
P.FL05-125x175x28	125x175x28mm	205g	1400g
P.FL05-115x170x22	115x170x22mm	140g	1100g
P.FL05-110x150x24	110x150x24mm	140g	1050g

P.FL12 PVC Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)
P.FL12-130x180x28T	130x180x28mm	210g	1900g
P.FL12-130x180x28	130x180x28mm	180g	1900g
P.FL12-125x175x28	125x175x28mm	180g	1400g
P.FL12-125x175x28T	125x175x28mm	205g	1400g

P.FL13 PVC Float




Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)
P.FL13-75x130x12	75x130x12mm	43g	330g
P.FL13-65x100x12	65x100x12mm	24g	190g
P.FL13-41x79x12	41x79x12mm	11g	68g

P.FL14 PVC Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)
P.FL14-175x360x32	175x360x32mm	590g	5900g
P.FL14-152x356x28	152x356x28mm	550g	4900g
P.FL14-140x280x25	140x280x25mm	346g	2800g
P.FL14-127x280x25	127x280x25mm	280g	2800g

P.FL15 PVC Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)
P.FL15-90x50x20	90x50x20mm	20g	190g
P.FL15-75x40x15	75x40x15mm	13g	110g
P.FL15-60x35x10	60x35x10mm	9g	60g

P.FL16 PVC Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)
P.FL16-130x180x28A	130x180x28mm	210g	1900g
P.FL16-130x180x28B	130x180x28mm	180g	1900g
P.FL16-125x175x28A	125x175x28mm	180g	1400g
P.FL16-125x175x28B	125x175x28mm	180g	1400g
P.FL16-125x175x28C	125x175x28mm	205g	1400g

P.FL17 PVC Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)
P.FL17-55x30x12	55x30x12mm	4.2g	40g
P.FL17-33x28x10	33x28x10mm	2.5g	20g
P.FL17-60x40x10	60x40x10mm	10g	88g
P.FL17-80x40x16	80x40x16mm	20g	175g
P.FL17-50x60x10	50x60x10mm	11g	105g

P.FL18 PVC Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)
P.FL18-150x20	150x20mm	140g	1500g
P.FL18-120x20	120x20mm	75g	720g
P.FL18-100x15(48g)	100x15mm(48g)	48g	420g
P.FL18-100x15(68g)	100x15mm(68g)	68g	530g
P.FL18-100x15(43g)	100x15mm(43g)	43g	400g
P.FL18-80x12	80x12mm	23g	230g
P.FL18-60x10	60x10mm	12g	90g

P.FL20 PVC Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)
P.FL20-150x40x18	150x40x18mm	67g	600g
P.FL20-150x40x18T	150x40x18mm	67g	600g
P.FL20-150x18x10	150x18x10mm	33g	300g
P.FL20-91x50x20	91x50x20mm	24g	290g
P.FL20-34x56x178	34x56x178mm	38g	135g

P.FL19 PVC Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)
P.FL19-110x170x23	110x170x23mm	140g	1500g
P.FL19-90x150x20	90x150x20mm	140g	950g
P.FL19-70x110x20	70x110x20mm	33g	270g
P.FL19-48x96x10	48x96x10mm	48g	420g
P.FL19-40x140x10	40x140x10mm	25g	105g
P.FL19-35x60x9	35x60x9mm	12g	35g
P.FL19-24x38x6	24x38x6mm	3g	7g
P.FL19-33x51x8	33x51x8mm	13g	25g

P.FL21 PVC Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)	Buoyancy (±10%)
P.FL21-46x166x9	46x166x9mm	24g	160g
P.FL21-33x55x10	33x55x10mm	4g	35g
P.FL21-1000x500x80	1000x500x80mm	2200g	18900g
P.FL21-800x400x60	800x400x60mm	2300g	2300g
P.FL21-530x530x60	530x530x60mm	950g	7950g

P.FL01 PP Float



Art No.	Specification OD x H x HD (±5%)	Weight (±10%)
P.FL01-SF-20AR(new)	75x130x12mm	40g
P.FL01-SF-20AW(new)	75x130x12mm	40g
P.FL01-SF-20AY(new)	75x130x12mm	40g

P.FL02 ABS Center Hole Float



Art No.	Diameter	Inside Hole	Buoyancy
P.FL02-152x17	φ6" or 152mm	17mm	2kg
P.FL02-175x18	φ7" or 175mm	18mm	2.5kg
P.FL02-200x22A	φ8" or 200mm	22mm	4kg
P.FL02-200x22B	φ8" or 200mm	22mm	3.5kg
P.FL02-200x21	φ8" or 200mm	21mm	2.47kg
P.FL02-225x22	φ9" or 225mm	22mm	4.5kg
P.FL02-250x22A	φ10" or 250mm	22mm	7.8kg
P.FL02-250x22B	φ10" or 250mm	22mm	7.5kg
P.FL02-250x22C	φ10" or 250mm	22mm	6.2kg
P.FL02-280x25A	φ11" or 280mm	25mm	10.5kg
P.FL02-280x25B	φ11" or 280mm	25mm	10kg
P.FL02-280x25C	φ11" or 280mm	25mm	8.8kg
P.FL02-300x25A	φ12" or 300mm	25mm	12.5kg
P.FL02-300x25B	φ12" or 300mm	25mm	12.15kg

P.FL03 ABS Spherical Float with Double Hole



Art No.	Diameter	Inside Hole	Buoyancy
P.FL03-152x15	φ6" or 152mm	15mm	1.8kg
P.FL03-200x18.5	φ8" or 200mm	18.5mm	3.2kg

P.FL04 ABS Round Float with two Ears



Art No.	Diameter	Inside Hole	Buoyancy
P.FL04-225x18.5	φ9" or 225mm	18.5mm	4.5kg
P.FL04-250x22	φ10" or 250mm	22mm	7.5kg
P.FL04-280x21	φ11" or 280mm	21mm	10kg
P.FL04-300x24A	φ12" or 300mm	24mm	12.5kg
P.FL04-300x24B	φ12" or 300mm	24mm	12.15kg
P.FL04-300x25	φ12" or 300mm	25mm	8kg
P.FL04-360x26	φ14" or 360mm	26mm	20kg
P.FL04-400x25	φ16" or 400mm	25mm	27.5kg
P.FL04-600x24	φ24" or 600mm	24mm	133kg

P.FL22 ABS Round Float with one Ear



Art No.	Diameter	Inside Hole	Buoyancy
P.FL22-360x33	φ14" or 360mm	33mm	20kg
P.FL22-400x35	φ16" or 400mm	35mm	27.5kg

P.FL08 ABS Float with Top and Bottom Ears



Art No.	Diameter	Inside Hole	Buoyancy
P.FL08-65x6	65mm	6mm	0.1kg
P.FL08-225x15.5	φ9" or 225mm	15.5mm	4.5kg
P.FL08-300x22A	φ12" or 300mm	22mm	12.5kg
P.FL08-300x22B	φ12" or 300mm	22mm	12.15kg

P.FL09 ABS Float with Four Ears



Art No.	Diameter	Inside Hole	Buoyancy
P.FL09-225x18.5	φ9" or 225mm	18.5mm	4.5kg
P.FL09-250x22	φ10" or 250mm	22mm	7.5kg
P.FL09-280x21	φ11" or 280mm	21mm	10kg
P.FL09-300x24	φ12" or 300mm	24mm	12.15kg

P.FL10 ABS Round Float with Four Ears



Art No.	Diameter	Inside Hole	Buoyancy
P.FL10-225x18.5	φ9" or 225mm	18.5mm	4.5kg
P.FL10-250x22	φ10" or 250mm	22mm	7.5kg
P.FL10-280x21	φ11" or 280mm	21mm	10kg
P.FL10-300x24A	φ12" or 300mm	24mm	13kg
P.FL10-300x24B	φ12" or 300mm	24mm	12.15kg
P.FL10-300x25	φ12" or 300mm	25mm	8kg
P.FL10-360x26	φ14" or 360mm	26mm	20kg
P.FL10-400x25	φ16" or 400mm	25mm	27.5kg

P.FL11 ABS Round Float with two Inner Ears



Art No.	Diameter	Inside Hole	Buoyancy
P.FL11-225x18.5	φ9" or 225mm	18.5mm	4.5kg
P.FL11-250x22	φ10" or 250mm	22mm	7.5kg
P.FL11-280x21	φ11" or 280mm	21mm	10kg
P.FL11-300x24	φ12" or 300mm	24mm	12.15kg

P.FL23 ABS Center Hole Float with Four Inner Ears



Art No.	Diameter	Inside Hole	Buoyancy
P.FL23-400x22	400mm	22mm	32kg

P.FL06 Floating Ball



Art No.	Diameter	Thickness	Buoyancy
P.FL06-335x5	335mm	5mm	10kg
P.FL06-381x5	381mm	5mm	23kg
P.FL06-457x5	457mm	6mm	40kg
P.FL06-600x6	600mm	6mm	100kg
P.FL06-775x6	775mm	6mm	200kg
P.FL06-1000x8	1000mm	8mm	450kg

P.FL07 WS Series PVC Marker Buoy



*Marking buoy&mooring
*Reinforced ropehold
*Various colours

Art No.	Series	Size(Dia)		Eye Dia. mm	Weight g/pc
		inch	mm		
P.FL07-06	WS1	6	150	10	200
P.FL07-8.5	WS2	8.5	216	10	250